KammBar Pro Technical Datasheet





The premium aluminium roof bar system for commercial vehicles.

The new generation of commercial vehicles needs the new generation of van accessories. Aerodynamic, stylish and corrosion resistant, KammBar Pro is the leading roof bar of choice for professional van users.

Made from anodised aluminium, KammBar Pro increases the storage capability of any van, while its modern design not only provides great aesthetics but also limits wind noise. With two pairs of load stops supplied as standard, KammBar Pro is the ultimate roof bar system to take your van to the next level.



15 mins Fitting time

DIMENSIONS 1240mm - 1420mm - 1600mm - 1700mm - Length (L1) - Leg width (W1) 133mm - Cross tube width (W2) 60mm - Leg height - to top of the bar (H1) 109mm - Leg height- to bottom of the bar 71.5mm (H2) - Load stop height (H3) 102mm

WEIGHT

Bar length	Bar	Bar combined weight of two legs	Total weight
- 1240mm	1.60 kg	0.76 kg	2.36 kg
- 1420mm	1.83 kg	0.76 kg	2.59 kg
- 1600mm	2.06 kg	0.76 kg	2.82 kg
- 1700mm	2.19 kg	0.76 kg	2.95 kg



Rhino Products, Rhino House, Deans Road, Ellesmere Port, CH65 4DR sales@rhinoproducts.co.uk

KammBar Pro[®] Technical Datasheet





Manufactured from anodised aluminium to prevent rusting, making the system extremely durable in all weather conditions.





The final touch to our premium roof bar solution, all KammBar Pro systems come with two pairs of load stops as standard.



The unique shape of the bar profile is inspired by the work of Professor Wunibald Kamm - a pioneering aerodynamicist who established that a teardrop shape such as this is ideal for reducing drag.



The KammBar Pro's aerodynamic shape also almost entirely eliminates wind noise.

BESPOKE FITTING

Available in two, three and four bar configurations, the KammBar Pro comes complete with a fitting kit that includes bespoke pads and spacers, tailored to the mounting points of every vehicle.

FAST FITTING WITH PREASSEMBLED LEGS



Supplied with the saddles loosely fastened into place within the legs, allowing for quick and easy fitment.



This bracket is a beacon support that securely holds single & triple bolt fixing beacons in place, increasing the functionality of the system. Sold separately.



The strong steel legs are covered by aesthetic composite covers to add to the modern, premium look of the product.



Lock kits can be purchased separately to provide additional theft deterrence and security.



KammBar Pro has been rigorously tested by our inhouse team of design engineers to ensure it is strong and robust enough to withstand the challenges of day-to-day usage.



All KammBar Pro systems are supplied in a single package. This ensures quick and efficient shipping, minimising any risk of delays as opposed to sending multiple packages.

KammBar Pro Technical Datasheet



MATERIAL	WHERE USED	ADVANTAGES
Aluminium alloy		
- 6063A T6	- Cross tubes	 Extremely durable, high tensile, yield strength Excellent weight to strength ratio Scratch resistant Great for intricate extrusions with a good surface finish and high corrosion resistance
Composite		
- LDPE - Polypropylene (PPCP)	- Crosstube end cap - Leg cowl	
Mild steel		
- Mild steel HR4, powdercoat textured black	- Bar leg - Bar saddle	- High strength - Corrosion protected - 1000h salt spray tested
Fixings		

Fixings

- Multi-grip pop rivets (main connection method)

- Bolts & (self locking) nuts size M8, combination of stainless and galvanised steel

Tools required for installation 🏌

- 10mm and 13mm spanner required, allen key (included)



